

characteristics All-In-One Trend 3 with glides and footing

Article: 9631 integral foam

Dimensions in mm	Backrest:	H:	500
	Seat:	H:	570-830
		B:	460
		T:	410-470
Packing data	Weight	kg	20,0
	Volume	m ³	0,25



Base equipment

Benefit

Seat and backrest

Large, ergonomically designed backrest to take the strain off the spine and muscles

Ergonomically designed, extra high seat
With integrated pelvic support and rounded front edge of the seat

Integral foam (PU):
The new developed SoftTouch integral foam provides the ultimate softness in seating, is washable and resistant to external influences
Colour: black (2000)

Healthy posture due to a hump providing support for the back in the lumbar region.

The seat automatically encourages the correct posture and upright, healthy sitting.
The round front edge of the seat prevents blocked circulation in the thighs.

The use of integral foam is recommended for work environments where the chair is in contact with aggressive substances and sharp parts

Seat height

Stepless seat height setting from 570-830 mm supported by safety gas spring with protective cover

The seat height adjustment can be adapted to the body size and the height of workbenches.
Wide range of height adjustment.

Ergonomic package

Synchronous mechanism with weight regulation

Seat inclination (up to 6°)

Seat depth adjustment (Stepless by 60 mm)

Backrest height adjustment

Quick adjustment

Anti-Shock lock

The synchronous mechanism ensures that the seat and backrest tilt are automatically adjusted in line with the user's current posture
This results in dynamic sitting which relaxes the muscles, relieves strain on the intervertebral disc, improves circulation and boosts concentration and performance considerably
Continuously variable weight regulation system ensures that the backrest responds in accordance with the pressure which is applied
The synchronous mechanism is particularly useful in cases where a frequent change in working posture is given

The continuously variable tilt adjustment function, which can be used to tilt the seat forwards ensures a minimum seat angle of 90° even when leaning forwards into the work.

Seat depth can be adapted to all body sizes

Ensures the best possible support of the lumbar region - regardless of the operator's size

All the adjustment functions allow quick and easy operation via levers while the user is sitting

The backrest cannot accidentally spring forwards even after the lock has been released

Base

Black 5 star base made from polypropylene

Very high stability, longevity
Flat design prevents stumbling hazard

characteristics All-In-One Trend 3 with glides and footring

Article: 9631 integral foam

Dimensions in mm	Backrest:	H:	500
	Seat:	H:	570-830
		B:	460
		T:	410-470
Packing data	Weight	kg	20,0
	Volume	m ³	0,25



Glides	Wearproof plastic glides with a large surface	Offer a superb level of stability
foot ring	Chrome-plated foot ring, adjustable in height	Provides support through the wide tread area and can be easily and quickly adjusted in height
Material	The material used is recyclable	Environmentally friendly
Standards	DIN 68 877 German GS "safety tested" mark of conformity Quality Management DIN EN ISO 9001 Environmental Management DIN ISO 14001 Certified Environmental Management EMAS Occupational Safety Management OHSAS 18001 EcoVadis CSR rating 2015 Gold	Procuring is insured High level of safety and comfort High quality product
Warranty	10 year long term warranty, 3 years full warranty	Guaranteed quality and high efficiency

characteristics All-In-One Trend 3 with glides and footring

Article: 9631 integral foam

Dimensions in mm	Backrest:	H:	500
	Seat:	H:	570-830
		B:	460
		T:	410-470
Packing data	Weight	kg	20,0
	Volume	m ³	0,25



Options	Benefit
----------------	----------------

Armrest	Multifunctional armrests	The armrests are adjustable in height, width and depth to suit the individual user Each armrest pivot can be locked into position
---------	--------------------------	--