

characteristics Laboratory Basic 1 with glides

Article: 9130 fabric

Dimensions in mm	Backrest:	H:	430
	Seat:	H:	450-600
		B:	460
		T:	440
Packing data	Weight	kg	14,0
	Volume	m ³	0,16



Base equipment

Benefit

Laboratory qualification	Special art. Leather surface with antibacterial, antifungal and antimicrobial capacities.	Laboratory-appropriate equipment. Washable, disinfected and easy-care.
Backrest	Large, ergonomically designed backrest to take the strain off the spine and muscles with integrated lumbar support. Backrest height adjustment convenient and easy to handle in sitting position.	Healthy posture due to a hump providing support for the back in the lumbar region. The support area can be adapted in accordance to the user's body size.
Seat	Ergonomically designed seat with rounded front edge.	The round front edge of the seat prevents blocked circulation in the thighs.
Seat and backrest design	Fabric upholstery: Resistant, respiratory and comfortable fabric Duotec Selectable in following colours: Black (6801) Blue (6802) Grey (6811) Red (6803)	This high-quality fabric upholstery is breathable and can both absorb and expel moisture. The extremely soft surface guarantees maximum comfort.
Seat height	Stepless seat height setting from 470 - 610 mm supported by safety gas spring with protective cover.	Seat height can be adapted to nearly 95 % of all body sizes, the cover protects the gas spring from dust and dirt.
Technology	Permanent contact-backrest Quick adjustment Anti-Shock lock	This mechanism ensures that the backrest responds immediately to any movements of the upper body by following them. Thus, the back remains supported all the time. The backrest can also be locked into any tilt position if required. Every function can be operated comfortable and easy in sitting position. The backrest cannot accidentally spring forwards even after the lock has been released.
Base	Black 5 star base made from steel shape tube, powder-coated, black. Flat design.	Very high stability, longevity. Flat design prevents stumbling hazard.
Glides	Wearproof plastic glides with a large surface area.	Offer a superb level of stability.
Materials	The materials used are recyclable.	Environmentally friendly.
Standards	DIN 68 877 German GS "safety tested" mark of conformity Quality Management System DIN EN ISO 9001 Regulation EWG Nr. 1836/93 Environmental Management System DIN ISO 14001.	Procuring is insured.

characteristics Laboratory Basic 1 with glides

Article: 9130 fabric

Dimensions in mm	Backrest:	H:	430
	Seat:	H:	450-600
		B:	460
		T:	440
Packing data	Weight	kg	14,0
	Volume	m ³	0,16



Warranty 10 year long term warranty, 3 years full warranty.

Guaranteed quality and high efficiency.



characteristics Laboratory Basic 1 with glides

Article: 9130 fabric

Dimensions in mm	Backrest:	H:	430
	Seat:	H:	450-600
		B:	460
		T:	440
Packing data	Weight	kg	14,0
	Volume	m ³	0,16



Options	Benefit		
<table border="0"> <tr> <td style="vertical-align: top;">Armrests</td> <td> <ul style="list-style-type: none"> Loop armrest Multifunctional armrest </td> </tr> </table>	Armrests	<ul style="list-style-type: none"> Loop armrest Multifunctional armrest 	<p>Made of polyamide, adjustable in width (20 mm)</p> <p>The armrests are adjustable in height, width and depth to suit the individual user</p>
Armrests	<ul style="list-style-type: none"> Loop armrest Multifunctional armrest 		
<table border="0"> <tr> <td style="vertical-align: top;">Accessories</td> <td> <ul style="list-style-type: none"> Foot ring. </td> </tr> </table>	Accessories	<ul style="list-style-type: none"> Foot ring. 	<p>The foot ring can be retrofitted by attaching it to the chair column.</p>
Accessories	<ul style="list-style-type: none"> Foot ring. 		
<table border="0"> <tr> <td style="vertical-align: top;">Options</td> <td> <ul style="list-style-type: none"> Light grey frame Polished aluminium base </td> </tr> </table>	Options	<ul style="list-style-type: none"> Light grey frame Polished aluminium base 	
Options	<ul style="list-style-type: none"> Light grey frame Polished aluminium base 		