bimos

characteristics Unitec 3 with glides and footring

Article: 9651 artificial leather

Seat:	H:	580-850
Weight	kg	14,0
Volume	m³	0,15
	Weight	Weight kg



Base equipment		Benefit
Backrest	Large, ergonomically designed backrest to take the strain off the spine and muscles with integrated lumbar support	Healthy posture due to a hump providing support for the back in the lumbar region
	Backrest height adjustment convenient and easy to handle in sitting position	The support area can be adapted in accordance to the user's body size
Seat	Ergonomically designed seat with rounded front edge	The round front edge of the seat prevents blocked circulation in the thighs
Seat and backrest design	Synthetic leather upholstery:	The soft and comfortable upholstery provides a
	High-level synthetic leather. Resistant to disinfectants, washable and	comfortable feel. However, damages caused by sharp parts can not be
	easy-care Selectable in following colours: black (0551)	excluded. Ideal for the use in production and laboratory.
Seat height	blue (0562) Stepless seat height setting from 580-850 mm supported by safety gas spring with protective cover	Seat height can be adapted to nearly 95% of all body sizes, the cover protects the gas spring from dust and dirt
Technology	Permanent contact-backrest	This mechanism ensures that the backrest responds immediately to any movements of the upper body by following them. Thus, the back remains supported all the time.The backrest can also be locked into any tilt position if required
	Quick adjustment	Every function can be operated comfortable and easy in sitting position
Base	Black 5 star base made from plastic. Flat design	Very high stability, longevity and safety Flat design prevents stumbling hazard
Glides	Wearproof plastic glides with a large surface Area	Offer a superb level of stability
Foot ring	Chrome-plated foot ring, adjustable in height	Provides support through the wide tread area and can be easily and quickly adjusted in height
Materials	The materials used are recyclable	Environmentally friendly.
Standards	DIN 68 877 German GS "safety tested" mark of confirmity Quality Management System DIN EN ISO 9001 Regulation EWG Nr. 1836/93 and Environmental	Procuring is insured
Warranty	Management System DIN ISO 14001 10 year long term warranty, 3 years full warranty	Guaranteed quality and high efficiency

.

bimos

characteristics Unitec 3 with glides and footring

Article: 9651 artificial leather

Dimensions	in	mm	
------------	----	----	--

	Seat:	H:	580-850
Packing data	Weight Volume	kg m³	14,0 0,15



bimos

characteristics Unitec 3 with glides and footring

Article: 9651 artificial leather

Dimensions in mm			
	Seat:	H:	580-850
Packing data	Weight	kg	14,0
	Volume	m³	0,15

Loop armrest

Multifunctional armrest



Options

Armrests

Benefit

Made of polyamide, adjustable in width (20 mm) The armrests are adjustable in height, width and depth to suit the individual user