

Technical data sheet HJ216

Specification Swivel chair, medium high, mesh, Synchro, Comfort

Dimensions in mm	Backrest:	H:	600	
		Seat:	H:	415-525
			W:	495
			D:	475
	Total:	H:	1145	
		W (no ArmR):	525	
W (ArmR):		670		
D:		610		
Packaging data	Weight:	kg	12,83	
	Volume:	m³	0,2	



Basic equipment

Benefit

Plastic parts	Dyed throughout, black.	Quality and aesthetics are maintained even with intensive use.
Backrest	Mesh backrest medium high, 3D knitted mesh, black.	
Upholstery	Seat upholstery: 55 mm foam. Comfort seat.	Upholstery is not glued on, ensuring optimal air movement, breathable. Great seating comfort.
Mechanism	Synchronous mechanism, lockable. Opening angle between seat and back up to max. 113°. Backrest lockable in 4 positions.	Interstuhl synchronous mechanisms are designed in a way to optimally support the body in every seating position and at the same time they relieve the change between the different seating positions.
Seat height adjustment	Seat height adjustment infinitely variable from 415 - 525 mm. Self-supporting safety gas spring. Chair column to match the plastic colour.	People with a height between 151 and 192 cm (Acc. to DIN EN 1335) can individually adjust the seat height in the most ergonomic way.
Weight Adjustment	From 45 - 125 kg, multilevel.	Individual adjustment of the backrest and the back pressure according to the weight and height of the user.
Lumbar support	Height- (70 mm) adjustable lumbar support. Lumbar support upholstered like seat cover.	The lumbar support, which is integrated in the back upholstery, can be adjusted vertically and thus adapted to the body of the user. This permits an individual support of the lumbar spine.
Castors Ø 65 mm	Hard double castors, black, load dependent braked, for soft floors. (Acc. to DIN EN 12529).	The chair does not roll away in an offloaded position.
Base	Polyamide base, colour maintained throughout, black.	Quality and aesthetics are maintained even with intensive use.
Materials	All materials are unmixed and recyclable.	Environmentally friendly.
Product certificates*	EN 1335 for office swivel chairs and office swivel armchairs. GS-Symbol for tested safety, tested for contaminants, ergonomics approved. Blue Angel, FEMB level®. * All standards correspond to the version that is currently valid.	High level of safety and great comfort.

Technical data sheet HJ216

Specification Swivel chair, medium high, mesh, Synchro, Comfort

Dimensions in mm	Backrest:	H:	600	
		Seat:	H:	415-525
			W:	495
	Total:	D:	475	
		H:	1145	
		W (no ArmR):	525	
W (ArmR):		670		
Packaging data	Weight:	kg	12,83	
		D:	610	
	Volume:	m³	0,2	



Company certification*

Quality Management System ISO 9001,
 Environmental Management System ISO 14001,
 Regulation (EC) no. 1221/2009 (EMAS),
 Occupational Health and Safety Management
 System ISO 45001, Energy Management
 System ISO 50001, EcoVadis Silver.
 * All standards correspond to the version that is
 currently valid.

High-quality product.

Warranty

10-year warranty according to our current
 warranty conditions.

Quality guaranteed to last for entire product life.

Technical data sheet HJ216

Specification Swivel chair, medium high, mesh, Synchro, Comfort

Dimensions in mm	Backrest:	H:	600
		Seat:	H: 415-525
		W:	495
		D:	475
	Total:	H:	1145
		W (no ArmR):	525
W (ArmR):		670	
D:		610	
Packaging data	Weight:	kg	12,83
	Volume:	m³	0,2



Options

Benefit

Seat height adjustment	Seat height adjustment infinitely variable: Self-supporting safety gas spring low: 385 - 490 mm; Self-supporting safety gas spring high: 490 - 625 mm. Chair column always black.	Even for people taller than 192 cm and smaller than 151 cm is offered the correct ergonomic seating posture.
Castors/glides	Soft double castors, black, load dependent braked, for hard floors (Acc. to DIN EN 12529).	The chair does not roll away in an off-loaded position.
Base	Polyamide base, colour maintained throughout, white.	Quality and aesthetics are maintained even with intensive use.
Seat depth adjustment	Sliding seat for an individual adjustment of the seat depth, area of adjustment: 55 mm.	The seat depth can be individually adjusted to ensure an optimal support surface of the thighs.
Seat inclination	Adjustable, 2 positions (0° and +4.7° forwards).	The tilt prevents the pelvis from moving backwards, ensuring the right position of the spinal column.
Armrests	2D T-armrests, height and width adjustable, soft surface. 3D T-armrests, height, width and depth adjustable, soft surface. 4D T-armrests, height, width and depth adjustable, rotatable, soft surface.	The armrests relieve the neck and shoulder muscles.
Cover material	Various fabric and leather options are available, as well as different mesh colours.	Individual design.